


Pella® Impervia®

\$\$





PATIO DOOR STYLES



SLIDING




* In testing performed in accordance with ASTM testing standards, Pella's Duracast has displayed superior performance in strength, ability to withstand extreme heat and cold, and resistance to dents and scratches. Special shape windows are made from a non-Duracast fiberglass composite.



Colors & Finishes pella" IMPERVIA"

FRAME COLORS

Pella Impervia windows and patio doors feature a low-maintenance, durable powder-coat paint finish. Dual-color frames allow you to choose a different color for the exterior.



Grilles pella" impervia"

GRILLES

Grilles are color-matched to your window or patio door interior and exterior frame color.'



GRILLE PATTERNS

Choose from a variety of grille patterns for the traditional look of divided light. Custom patterns are available.²







TOP ROW



6-LITE PRAIRIE 9-LITE PRAIRIE

TRADITIONAL

CUSTOM

Window Hardware Pella® IMPERVIA®




CAM-ACTION LOCK

Pella's cam-action locks pull the sashes on single- and double-hung windows against the weatherstripping for a tighter seal.



COLOR-MATCHED FINISHES:



Patio Door Hardware Pella® IMPERVIA®

SLIDING PATIO

Open and close the door with one hand with a convenient thumblock.



FOOTBOLT

A footbolt comes standard on all sliding patio doors and holds the door open about three inches for ventilation.

Glass pella" impervia"

INSULSHIELD" LOW-E GLASS	Advanced Low-E insulating dual-pane glass with argon ¹ AdvancedComfort Low-E insulating dual-pane glass with argon ¹ NaturalSun Low-E insulating dual-pane glass with argon ¹ SunDefense [™] Low-E insulating dual-pane glass with argon ¹
ADDITIONAL GLASS OPTIONS	Clear insulating glass Tempered glass Laminated (non-impact-resistant) ² , tinted ³ or obscure glass also available on select products STC (Sound Transmission Class)-improved dual-pane sound control glass ⁴

Screens

FLAT

Conventional screens come standard. Optional InView[™] screens let in 14% more light and are 8% more open for improved airflow compared to conventional fiberglass screens.⁶

¹ Optional high-altitude Low-E insulating glass available with or without argon on select products.

² For best performance, the laminated glass may be in the interior or exterior pane of the insulating glass, depending on the product.

³ Available with Advanced Low-E insulating glass with argon with bronze, gray or green tint on select products.

⁴ Sound control glass consists of dissimilar glass thickness (3mm/5mm).

⁵ Warning: Screen will not stop child or pet from falling out of window or door. Keep child or pet away from open window or door.

⁶ Improved airflow is based on calculated screen cloth openness. Screen cloth transmittance was measured using an integrated

sphere spectrophotometer

Want to learn more? Call us at 833-44-PELLA or visit pella.com



The confidence of Pella's warranty.

Pella[®] products are backed by some of the strongest warranties in the business. See written limited warranty for details, including exceptions and limitations, at pella.com/warranty.

